



How to Access Audit Trail by URL

Introduction

The audit trail generated by an interview can be easily accessed using the management console by looking under the **Reports** tab on the web server. If this method of viewing the audit trail is unsatisfactory, or if you would like to embed the audit within your application/site, then it can be simply accessed using a link.

Create Audit Link

To audit trail view is created by an audit jsp held within SparkStudio. To generate an audit trail report all we have to do is make a request to this jsp with the correct parameters.

The base URL is simply defined by your application root URL, (e.g. localhost:8080) which we will denote **<BASE_URL>**, pre-pended to the application path **/sparkstudio5/audit.jsp**.

For example : **<BASE_URL>/sparkstudio5/audit.jsp**

To obtain the correct audit report we must append four ID's to the URL, namely :

- SpaceID – The space in which the Spark/Interview exists.
- SparkID – The spark in which we are interested.
- VersionID – The version of the spark in which we are interested.
- InterviewID – The ID of the interview we want to look at.

We add these variables by simply appending the following to the URL above :

?loadSpaceID=<space>&loadSparkID=<spark>&loadVersionID=<version>&loadInterviewID=<interviewID>

So for example we will end up with a link that looks something like the following.
<BASE_URL>/sparkstudio5/audit.jsp?loadSpaceID=<space>&loadSparkID=<spark>&loadVersionID=<version>&loadInterviewID=<interviewID>

Please visit our update site for updates to this guide:
<http://www.informavores.com/informavores/documents>